

according to Regulation (EC) No 1907/2006

# **Boost Oil Special 4-T 10W-40**

Revision date: 01.07.2020 Product code: MIT0094 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Boost Oil Special 4-T 10W-40

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Lubricating agent

## Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Boost Oil Lubricants
Street: Auf dem Texas 11
Place: D-28857 Syke

# Telephone: 0049/4242160391 Telefax: 0049/4242160392

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

## **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

# Special labelling of certain mixtures

EUH208 Contains Benzolsulfonsäure. May produce an allergic reaction.

# 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

# **Boost Oil Special 4-T 10W-40**

Revision date: 01.07.2020 Product code: MIT0094 Page 2 of 8

## **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
147880-09-9	Polyolefin-polyaminsuccinimid, Poly	yol		1 - < 2,48 %	
	604-611-9				
	Aquatic Chronic 4; H413				
722503-68-6	Benzolsulfonsäure				
	Skin Sens. 1, Aquatic Chronic 4; H317 H413				
121158-58-5	phenol, dodecyl-, branched			0 - < 0,15 %	
	310-154-3	604-092-00-9			
	Repr. 1B, Skin Corr. 1C, Eye Dam. H400 H410	1, Aquatic Acute 1, Aquatic Chronic	1; H360F H314 H318		

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	imits, M-factors and ATE		
121158-58-5	310-154-3	phenol, dodecyl-, branched	0 - < 0,15 %	
	dermal: LD50 = 15000 mg/kg; oral: LD50 = 2100 mg/kg M akut; H400: M=10			
	M chron.; H410:	M=10		

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

Provide fresh air.

#### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

After contact with skin, wash immediately with plenty of water and soap.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Use water spray jet to protect personnel and to cool endangered containers.

Print date: 09.03.2021



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **Boost Oil Special 4-T 10W-40**

Revision date: 01.07.2020 Product code: MIT0094 Page 3 of 8

## Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated:

Carbon dioxide (CO2).

Carbon monoxide

Sulphur dioxide (SO2)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General measures**

Special danger of slipping by leaking/spilling product.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

# Further information on handling

Fire class B

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

Keep/Store only in original container. Keep away from heat.

## Hints on joint storage

No special measures are necessary.

# 7.3. Specific end use(s)

Lubricating agent

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# **Boost Oil Special 4-T 10W-40**

Revision date: 01.07.2020 Product code: MIT0094 Page 4 of 8

#### **PNEC values**

CAS No	Substance	
Environmenta	Environmental compartment V	
121158-58-5	phenol, dodecyl-, branched	
Freshwater		0,000074 mg/l
Marine water		0,0000074 mg/l
Freshwater sediment 0		0,26 mg/kg
Marine sediment 0		0,026 mg/kg
Soil 0		0,118 mg/kg

#### Additional advice on limit values

To date, no national critical limit values exist.

## 8.2. Exposure controls



## Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

# **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Wear suitable protective clothing.

# Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: yellow brown
Odour: not determined

pH-Value: not determined

Changes in the physical state

Melting point:

Boiling point or initial boiling point and

not determined

not determined

boiling range:

Flash point: 240 °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable



according to Regulation (EC) No 1907/2006

# **Boost Oil Special 4-T 10W-40**

Revision date: 01.07.2020 Product code: MIT0094 Page 5 of 8

## **Explosive properties**

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Lower explosion limits:

not determined

Upper explosion limits:

not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: not determined

Density (at 15 °C): 0,864 g/cm³

Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Viscosity / kinematic: 95,1 mm²/s

(at 40 °C)

Relative vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials

Materials to avoid Oxidizing agent Reducing agent

Acids

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

# **Boost Oil Special 4-T 10W-40**

Revision date: 01.07.2020 Product code: MIT0094 Page 6 of 8

## Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
121158-58-5	phenol, dodecyl-, branche	ed				
	oral	LD50 mg/kg	2100	Rat OECD 401	ECHA Dossier	
	dermal	LD50 mg/kg	15000	Rabbit OECD 402	ECHA Dossier	

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
121158-58-5	phenol, dodecyl-, branched						
	Acute algae toxicity	ErC50 mg/l	0,36		Desmodesmus subspicatus	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,0037		Daphnia magna (Big water flea)	ECHA Dossier	

# 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
121158-58-5	phenol, dodecyl-, branched			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	25%	28	
	Not readily biodegradable (according to OECD criteria)			

## 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
121158-58-5	phenol, dodecyl-, branched	7,1

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
121158-58-5	phenol, dodecyl-, branched	2,9		

## 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Endocrine disrupting properties

No information available.

## 12.7. Other adverse effects

No information available.

# **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



according to Regulation (EC) No 1907/2006

# **Boost Oil Special 4-T 10W-40**

Revision date: 01.07.2020 Product code: MIT0094 Page 7 of 8

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

# 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):



according to Regulation (EC) No 1907/2006

**Boost Oil Special 4-T 10W-40** 

Revision date: 01.07.2020 Product code: MIT0094 Page 8 of 8

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,9,10,11,12,13,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

## Relevant H and EUH statements (number and full text)

	, ,
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains Benzolsulfonsäure. May produce an allergic reaction.

Causes severe skin burns and eve damage.

### **Further Information**

H314

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)